

# Tx360<sup>®</sup> Nasal Applicator

## INSTRUCTIONS FOR USE

The Tx360 Nasal Applicator is for Single Use Only. Not To Be Reused. Discard appropriately after single use. NOTICE: Please read the complete instructions for use prior to using the Tx360 Nasal Applicator. Failure to do so may result in patient injury.

Rx Only

## INTRODUCTION

### Tx360 INTENDED USE


The Tx360 Nasal Applicator is a sterile device intended for use in adults to deliver small amounts of fluid ( $\leq 1$ cc, luer lock) selected by a healthcare professional to the nasal pathway, including the area of the inferior turbinate, superior turbinate, sphenopalatine foramen, etc. It is intended for use on adult patients with intact nasal mucosa.

### Tx360 NASAL APPLICATOR PRODUCT DESCRIPTION

Tian Medical LLC provides a simple and convenient nasal applicator for delivery of fluid (drugs or solutions) to the nasal cavity. The Tx360 device is compatible with aqueous and light oil solutions. The healthcare professional controls the type and amount of solution, the location, and the rate of delivery. The healthcare professional controls the rate of delivery by the pressure exerted on the plunger of the 1cc syringe. The Tx360 attaches to a provided luer lock 1cc disposable syringe allowing the healthcare professional to deliver small and measured amounts of fluid to areas along the nasal pathway. A hub with a small length of flexible, thin tubing is connected to the top of the delivery system. It has a soft rounded tip which has a single small opening to deliver the solution in a gentle stream to the desired region of the nasal pathway. All components are latex-free. The device has been designed with a slightly flared stem to assure the device cannot be placed too high in the nasal pathway. Its small flexible tip is designed to help reduce irritation to the nasal lining. Figure 1 below illustrates the device and its components.

Figure 1

### Tx360 Nasal Applicator



### Tx360 NASAL APPLICATOR PROVIDES

- An easy-to-use, disposable nasal applicator for Single Use Only. Not To Be Reused.
- Latex-free component.
- An extra handle for user convenience and additional support.
- Suitability for use in both right and left pathway.
- A selected volume delivered from the provided disposable 1cc syringe provides an efficient fluid stream.
- Handheld portability.
- A guide that locks to the syringe and provides a convenient method to access the desired nasal area.

### Tx360 USE AND STORAGE

- The Tx360 Nasal Applicator must be used only as directed. Please read all instructions before use.
- If you have any questions about the use of this product, contact Tian Medical LLC. Customer service at 630-426-9605.
- Single use only.
- Do not store at extreme temperatures and/or humidity.

### DO NOT USE THE Tx360 NASAL APPLICATOR IN THE FOLLOWING CONDITIONS (CONTRAINDICATIONS):

- If the patient has a nasal septal deformity such as the following: malformed facial or nasal passages such as cleft lip and palate, choanal atresia (narrowed nasal passages), atropic rhinitis, rhinitis medical mentosa, septal perforation, nasal/midface trauma or he or she has recently had nasal/sinus surgery.
- Potential for injury may occur, such as a nasal passage obstruction and nasal trauma and irritation.
- If the patient has a bleeding disorder such as Von Willebrand's disease or hemophilia uncontrolled bleeding may occur.
- If the patient has severe respiratory distress.
- Further irritation of nasal airways may worsen respiratory distress.
- If the patient has a Neoplasm including, but not limited to: Angiofibroma, sinus tumors, Granuloma.
- Congestion has been present for more than 10 days, there is a high fever, and the nasal mucous is an abnormal color.

### DO NOT USE THE Tx360 NASAL APPLICATOR IF:

- The skin around and inside the nasal passage is dry, cracked, oozing, or bleeding.
- The patient experiences recurrent nose bleeds.
- The patient has a nasal or facial fracture.
- The Tx360 Nasal Applicator may cause nose bleeding and additional nasal trauma and irritation.


### WARNING AND PRECAUTIONS

The Tx360 Nasal Applicator should be used with care by healthcare professionals.

Complications may include:

- Nasal passage irritation. Putting anything in the nose may irritate the lining of the nose. To help avoid irritation, use the device for only a short duration. Do not use for more than one application. If the tissue is bright red, appears to be irritated, or if the patient is experiencing pain, immediately discontinue using the Tx360 Nasal Applicator.
- Nose Bleeding. Do not force the tip of the Tx360 into the nose. Insert the device slowly and carefully following the step by step instructions described on next page. If bleeding occurs, immediately stop using the device and apply pressure on the nose to stop bleeding.
- The Tx360 Nasal Applicator is a disposable device for Single Use Only. Not To Be Reused.
- Discard appropriately after use.
- Reuse of the Tx360 Nasal Applicator and provided 1cc syringe may cause serious infections and introduction of bacteria, including VRE (Vancomycin-Resistant Enterococcus) or MSA (Methicillin-Resistant Staphylococcus Aureus), and other serious bacteria.

### DEVICE FEATURES



Rx Only

Rx Only



Manufacturer



Do not use if package is damaged

REF

Catalog Number

STERILE R

Sterilized using irradiator



Caution / Instructions for use

LOT

Batch Code



Do not reuse



Latex-free




Electronic instructions for use

**1**

Draw the desired solution into the provided syringe. Tap out excess air and draw more fluid to fill the syringe up to its capacity of 0.6cc.

This is a one time use device for both nostrils only. Looking at the Tx360 device inferiorly, notice the two tracks at the bottom of the Tx360.

Side View  
Inferior View




**2**

Remove the u-shaped clip at the base of the push rod. Gently rotate the syringe onto the Tx360 device until a click so that syringe is locked onto the Tx360 device. Push gently until luer lock is secured as it clicks into place.

**3**

Hold the body of the syringe and advance it slightly into the device past the "engaged" position.




## Instructions for use of the Tx360 Nasal Applicator (Right)


**4**

Gently turn and advance the syringe counterclockwise (or to the patient's right) onto the track for the right nostril. The tip of the catheter should slightly protrude out of the device.

Inferior View




Back View




**5**

Using the non-dominant hand, hold the Tx360 device firmly as shown.




Then, insert the tip of the introducer into the patient's right nostril along the superior aspect of the palatine process of Maxilla (floor of nose) until the taper transition limits further advance of the device.

**6**



Using the dominant hand, advance the syringe into the device as the tip of the catheter further protrudes out of the introducer until limit. You may feel a small bump indicating the limit. The device is able to administer fluid immediately upon exiting the introducer.

**7**



Use the thumb on the dominant hand to press the push rod and spray. The device provides a sense of resistance when the push rod reaches the half-way point and 0.3cc of the solution is released into the nasal cavity.

**8**

Retract the entire apparatus out of the patient's nose in an instant and easy fashion.

**9**


Repeat the same process on the patient's left side (see right).

## Instructions for use of the Tx360 Nasal Applicator (Left)


**10**

Gently turn and advance the syringe clockwise (or to the patient's left) onto the track for the left nostril. The tip of the catheter should slightly protrude out of the device.


Inferior View



Back View




**11**



Using the non-dominant hand, hold the Tx360 device firmly as shown.


Then, insert the tip of the introducer into the patient's left nostril along the superior aspect of the palatine process of Maxilla (floor of nose) until the taper transition limits further advance of the device.

**12**



Using the dominant hand, advance the syringe into the device as the tip of the catheter further protrudes out of the introducer until limit. You may feel a small bump indicating the limit. The device is able to administer fluid immediately upon exiting the introducer.

**13**



Use the thumb on the dominant hand to press the push rod and spray the remaining 0.3cc.

**14**

Retract the entire apparatus out of the patient's nose in an instant and easy fashion.

### CONTACT INFORMATION

**WARNING:** If you observe a defect or experience a problem with use of this device, call Tian Medical, LLC.

Technical Support at 855-338-0042

Customer Service: 630-426-9605

Email: [sales@tianmedical.com](mailto:sales@tianmedical.com)

Website: [www.tianmedical.com](http://www.tianmedical.com)

Manufactured for Tian Medical, LLC  
800 Liberty Dr  
Libertyville, IL 60048 USA